

Product array





Product core function



Bottom heat dissipation



Inverter Technology



Electronic Temperature Control



360 ° Deodorization System




Total No-Frost Cooling System



Large Freezer Room



**Easy access to food with door
opening at 90°.**



Aluminum Back Cover



Humidity Control technology



Anti-bacteria gasket



Safety Lock



Flip Beam crash closure



Favorite Size
833mm



Thin Body
Easy for free placement



No frost

Side by Side Refrigerator BCD-456W/BCD-518W



Features

- Thin body design
- Door opening alarm function
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:445L(R:272L/ F:173L)
Dimension(WxDxH)(mm):836x636x1780
Net/Gross weight(kg):80/89
Load Capacity(unit/40HQ): 56

Net Capacity:505L(R:331L/ F:174L)
Dimension(WxDxH)(mm):911x636x1780
Net/Gross weight(kg):85/95
Load Capacity(unit/40HQ): 53

Side by Side Refrigerator
BCD-528W



Favorite Size
833mm



Thin Body
Easy for free placement



No frost



Favorite Size
833mm



Thin Body
Easy for free placement



No frost

Side by Side Refrigerator
BCD-458W



Features

- Thin body design
- Door opening alarm function
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:512L(R:308L/ F:204L)
Dimension(WxDxH)(mm):836x706x1780
Net/Gross weight(kg):81/90
Load Capacity(unit/40HQ): 52

Features

- Built-in design
- Bottom heat dissipation
- Independent variable temperature chamber(optional)
- Open the door by 90°,easy access of drawer
- Full flat aesthetics air duct
- Multi drawers for fridge/freezer chamber
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: E

Net Capacity:445L(R:264L/ F:181L)
Dimension(WxDxH)(mm):836x600x1830
Net/Gross weight(kg):80/90
Load Capacity(unit/40HQ): 57

Side by Side Refrigerator
BCD-456WD/BCD-518WD
BCD-528WD



Favorite Size
833mm



Thin Body
Easy for free placement



Water bar
Potable cold water



Favorite Siz
908mm



Thin Body
Easy for free placement



No frost

Side by Side Refrigerator
BCD-501W/BCD-563W



Features

- Water dispenser design
- Thin body design
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

- Climate:SN/N/ST/T
Energy Class: F/E
- Net Capacity:440L(R:267L/ F:173L)
Dimension(WxDxH)(mm):836x636x1780
Net/Gross weight(kg):80/89
Load Capacity(unit/40HQ): 56
- Net Capacity:500L(R:326L/ F:174L)
Dimension(WxDxH)(mm):911x636x1780
Net/Gross weight(kg):85/95
Load Capacity(unit/40HQ): 53
- Net Capacity:508L(R:304L/ F:204L)
Dimension(WxDxH)(mm):836x706x1780
Net/Gross weight(kg):81/90
Load Capacity(unit/40HQ): 52

Features

- Thin body design
- Door opening alarm function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

- Climate:SN/N/ST/T
Energy Class: F
- Net Capacity:488L(R:293L/ F:195L)
Dimension(WxDxH)(mm):836x666x1780
Net/Gross weight(kg):80/90
Load Capacity(unit/40HQ): 53
- Net Capacity:548L(R:353L/ F:195L)
Dimension(WxDxH)(mm):911x666x1780
Net/Gross weight(kg):85/95
Load Capacity(unit/40HQ): 48

Side by Side Refrigerator
BCD-606W/BCD-646W



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three times longer



No frost



Favorite Size
833mm



Thin Body
Easy for free placement



Water bar
Potable cold wa

Side by Side Refrigerator
BCD-606WD/BCD-646WD



Features

- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:587L(R:377L/ F:210L)
Dimension(WxDxH)(mm):911x706x1780
Net/Gross weight(kg):86/96
Load Capacity(unit/40HQ): 48

Net Capacity:627L(R:407L/ F:220L)
Dimension(WxDxH)(mm):911x746x1780
Net/Gross weight(kg):87/97
Load Capacity(unit/40HQ): 42



Features

- Water dispenser design
- Thin body design
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:582L(R:372L/ F:210L)
Dimension(WxDxH)(mm):911x706x1780
Net/Gross weight(kg):86/96
Load Capacity(unit/40HQ): 48

Net Capacity:622L(R:402L/ F:220L)
Dimension(WxDxH)(mm):911x746x1780
Net/Gross weight(kg):87/97
Load Capacity(unit/40HQ): 42

Side by Side Refrigerator
BCD-606WHI/BCD-606WHIT
BCD-528WHI



Favorite Size
908mm



Water bar
Potable cold water



Ice maker
Automatic Ice Maker



BCD-606WHI
BCD-528WHI

BCD-606WHIT

Features

- Mini bar
- Ice-maker
- Door opening alarm function
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:488L(R:304L/ F:184L)
Dimension(WxDxH)(mm):836x706x1780
Net/Gross weight(kg):90/99
Load Capacity(unit/40HQ): 52

Net Capacity:556L(R:372L/ F:184L)
Dimension(WxDxH)(mm):911x706x1780
Net/Gross weight(kg):97/107
Load Capacity(unit/40HQ): 48

Favorite Size
908mm



Water bar
Potable cold water



Ice maker
Automatic Ice Maker



BCD-646WHI

BCD-646WHIT

Features

- Mini bar
- Ice-maker
- Door opening alarm function
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/ST
Energy Class: F

Net Capacity:596L(R:401L/ F:195L)
Dimension(WxDxH)(mm):911x746x1780
Net/Gross weight(kg):112/121
Load Capacity(unit/40HQ): 42



Favorite Size
833mm



Thin Body
Easy for free placement



**Variable Temp.
Compartment**
-4 ~ 8 °C

T door

BCD-443W/BCD-515W



Features

- Thin body design
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately
- Variable temperature chamber

Specification

Climate:SN/N/ST/T
Energy Class: F

Net Capacity:409L(R:155L/ F:168L/ V:86L)
Dimension(WxDxH)(mm):836x636x1830
Net/Gross weight(kg):82/91
Load Capacity(unit/40HQ): 55

Net Capacity:504L(R:177L/ F:211L/ V:116L)
Dimension(WxDxH)(mm):836x706x1830
Net/Gross weight(kg):88/97
Load Capacity(unit/40HQ): 52

T door
BCD-500W/BCD-580W



Favorite Size
908mm



Variable Temp.
Compartment
-4 ~ 8 °C



No frost



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three
times longer



No frost

Wine cooler
BCD-562W



BCD-580W



BCD-500W



Features

- Big variable temperature chamber
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:563L(R:207L/ F:214L/V:142L)
Dimension(WxDxH)(mm):911x706x1830
Net/Gross weight(kg):96/105
Load Capacity(unit/40HQ): 48

Net Capacity:487L(R:186L/ F:167L/ V:120L)
Dimension(WxDxH)(mm):911x636x1830
Net/Gross weight(kg):86/95
Load Capacity(unit/40HQ): 53

Features

- Wine cooler
- Door opening alarm function
- Child lock function
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately
- High-end glass panel

Specification

Climate:SN/N/ST/T
Energy Class: E

Net Capacity:543L(R:207L/ F:223L/ V:113L)
Dimension(WxDxH)(mm):911x706x1830
Net/Gross weight(kg):117/126
Load Capacity(unit/40HQ): 48



Favorite Size
833mm



Thin Body
Easy for free placement



No frost

Cross Door
BCD-432W



Features

- Water dispenser option
- Thin body design
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension, fit kitchen space perfectly
- Open the door by 90°, easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function, keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate: SN/ST
Energy Class: F

Net Capacity: 419 L (R: 272L / F: 147L)
Dimension (WxDxH) (mm): 759x666x1830
Net/Gross weight (kg): 80/90
Load Capacity (unit/40HQ): 62

Cross Door
BCD-450W



Favorite Size
833mm



Thin Body
Easy for free placement



No frost



Favorite Size
833mm



Fresh Zone
Keeps food fresh up to three times longer



Water bar
Potable cold water

Cross Door
BCD-450WD



Features

- Water dispenser option
- Thin body design
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F

Net Capacity:436L(R:288L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Net/Gross weight(kg):82/91
Load Capacity(unit/40HQ): 56

Features

- Water dispenser
- Multiple handle styles are available
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:432L(R:284L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Net/Gross weight(kg):82/91
Load Capacity(unit/40HQ):56

Cross Door
BCD-485W



Favorite Size
833mm



Thin Body
Easy for free placement



No frost



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three times longer



No frost

Cross Door
BCD-585W/BCD-505W



Features

- Built-in design
- Bottom heat dissipation
- Fine subarea storage
- Independent variable temperature chamber (optional)
- Door seal storage box(optional)
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: E

Net Capacity:485L(R:318L/ F:167L)
Dimension(WxDxH)(mm):836x600x1912
Net/Gross weight(kg):92/101
Load Capacity(unit/40HQ):57

Features

- Multiple handle styles are available
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:564L(R:363L/ F:201L)
Dimension(WxDxH)(mm):911x706x1830
Net/Gross weight(kg):102/111
Load Capacity(unit/40HQ): 48

Net Capacity:490L(R:321L/ F:169L)
Dimension(WxDxH)(mm):911x636x1830
Net/Gross weight(kg):92/102
Load Capacity(unit/40HQ): 53

Cross Door
BCD-505WD



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three times longer



Water bar
Potable cold water



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three times longer



Water bar
Potable cold water

Cross Door
BCD-585WD



Features

- Water dispenser
- Multiple handle styles are available
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°, easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function, keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate: SN/N/ST/T
Energy Class: F/E

Net Capacity: 486L (R: 317L / F: 169L)
Dimension (WxDxH) (mm): 911x636x1830
Net/Gross weight (kg): 95/104
Load Capacity (unit/40HQ): 53

Features

- Water dispenser
- Multiple handle styles are available
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°, easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function, keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate: SN/N/ST/T
Energy Class: F/E

Net Capacity: 560L (R: 359L / F: 201L)
Dimension (WxDxH) (mm): 911x706x1830
Net/Gross weight (kg): 102/111
Load Capacity (unit/40HQ): 48

Cross Door
BCD-532W



Favorite Size
833mm



Thin Body
Easy for free placement



No frost



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three times longer



Water bar
Potable cold water

Cross Door
BCD-631W



Features

- Multiple handle styles are available
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F

Net Capacity:494L(R:331L/ F:163L)
Dimension(WxDxH)(mm):836x706x1830
Net/Gross weight(kg):92/102
Load Capacity(unit/40HQ): 53

Features

- Water dispenser option
- Multiple handle styles are available
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: E

Net Capacity:617L(R:394L/ F:223L)
Dimension(WxDxH)(mm):911x746x1830
Net/Gross weight(kg):95/104
Load Capacity(unit/40HQ):30



Favorite Size
908mm



Fresh Zone
Keeps food fresh up to three times longer



Ice maker
Automatic Ice Maker

French Door
BCD-513WI



Features

- Ice-maker option
- Door opening alarm function
- Super big fridge space
- Smart dimension, fit kitchen space perfectly
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function, keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate: SN/N/ST/T
Energy Class: E-star

Net Capacity: 495L (R: 351L / F: 144L)
Dimension (WxDxH) (mm): 759x792x1780
Net/Gross weight (kg): 87/97
Load Capacity (unit/40HQ): 56

French Door
BCD-448W/BCD-523W



Favorite Size
833mm



Fresh Zone
Keeps food fresh up to three times longer



No frost



Favorite Size
833mm



Fresh Zone
Keeps food fresh up to three times longer



Water bar
Potable cold water

French Door
BCD-448WD/BCD-523WD



BCD-448W

BCD-523W



BCD-448WD



BCD-523WD

Features

- Water dispenser option
- Door opening alarm function
- Vacation mode
- Child lock function
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:436L(R:288L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Net/Gross weight(kg):88/97
Load Capacity(unit/40HQ): 56

Net Capacity:510L(R:327L/ F:183L)
Dimension(WxDxH)(mm):836x706x1830
Net/Gross weight(kg):94/103
Load Capacity(unit/40HQ): 52

Features

- Water dispenser
- Door opening alarm function
- Vacation mode
- Child lock function
- Smart dimension,fit kitchen space perfectly
- Open the door by 90°,easy access of drawer
- Uniformly cooled by 360 degree cooling air circulation
- Fast freezing function,keep food in maximum freshness
- Refrigerator compartment can be switched off separately

Specification

Climate:SN/N/ST/T
Energy Class: F/E

Net Capacity:432L(R:284L/ F:148L)
Dimension(WxDxH)(mm):836x636x1830
Net/Gross weight(kg):88/97
Load Capacity(unit/40HQ): 56

Net Capacity:506L(R:323L/ F:183L)
Dimension(WxDxH)(mm):836x706x1830
Net/Gross weight(kg):94/103
Load Capacity(unit/40HQ): 52

Model	Approval	Energy Class	Dimension(W*D*H)	Packing Dimension(W*D*H)	Load Capacity(40HQ)
BCD-456W	CE CB CSA	E/F/DOE	836x636x1780mm	893x680x1845mm	56
BCD-518W	CE CB	E/F	911x636x1780mm	968x680x1845mm	53
BCD-528W	CE CB	E/F	836x706x1780mm	893x750x1875mm	52
BCD-456WD	CE CB	E/F	836x636x1780mm	893x680x1845mm	56
BCD-518WD	CE CB	E/F	911x636x1780mm	968x680x1845mm	53
BCD-528WD	CE CB	E/F	836x706x1780mm	893x750x1875mm	52
BCD-501W	CE CB	F	836×666×1780mm	893×710×1875mm	53
BCD-563W	/	F	911×666×1780mm	968×710×1875mm	48
BCD-606W	CE CB CSA	E/F/DOE	911x706x1780mm	968x750x1845mm	48
BCD-646W	CE CB	E/D	911x746x1780mm	968x790x1845mm	42
BCD-606WD	CE CB	E/F	911x706x1780mm	968x750x1845mm	48
BCD-646WD	CE CB	E	911x746x1780mm	968x790x1845mm	42
BCD-606WHIT	CE CB UL	F/E/E-star	911x706x1780mm	968x750x1845mm	48
BCD-646WHIT	CE CB	F	911x746x1780mm	968x790x1845mm	42
BCD-443W	/	F	836x636x1830mm	893x680x1930mm	56
BCD-515W	/	F	836x706x1830mm	893x750x1930mm	52
BCD-500W	CE CB	E/F	911x636x1830mm	968x680x1895mm	53
BCD-580W	CE CB	E	911x706x1830mm	968x750x1895mm	48
BCD-562W	CE CB	E	911x706x1830mm	968x750x1895mm	48
BCD-432W	/	F	759x666x1830mm	816x710x1930mm	62
BCD-450W	CE CB	E/F	836x636x1830mm	893x680x1930mm	56
BCD-450WD	CE CB	E/F	836x636x1830mm	893x680x1930mm	56
BCD-505W	CE CB	E/F	911x636x1830mm	968x680x1895mm	53
BCD-585W	CE CB	E/F	911x706x1830mm	968x750x1895mm	48
BCD-505WD	CE CB	E/F	911x636x1830mm	968x680x1895mm	53
BCD-585WD	CE CB	E/F	911x706x1830mm	968x750x1895mm	48
BCD-532W	/	F	836x706x1830mm	893x750x1930mm	51
BCD-631W	CE CB	E	911x746x1830mm	968x790x1930mm	30
BCD-513WI	UL	E-star	759x742x1780mm	820x775x1845mm	56
BCD-448W	CE CB	E/F	836x636x1830mm	893x680x1930mm	56
BCD-523W	CE CB UL	E/F/E-Star	836x706x1830mm	893x750x1930mm	51
BCD-448WD	CE CB	E/F	836x636x1830mm	893x680x1930mm	56
BCD-523WD	CE CB	E/F	836x706x1830mm	893x750x1930mm	51
BCD-486W	/	E-Star	836x666x1830mm	893×710×1930mm	55
BCD-575W	/	F	911x706x1830mm	968x750x1895mm	48
BCD-575WD	/	F	911x706x1830mm	968x750x1895mm	48
BCD-458W	/	E	836×600×1830mm	893x644x1930mm	57
BCD-485W	/	E	836×600×1912mm	893x644x2012mm	64
BCD-435W	/	E	759×600×1912mm	820*644*2012mm	64
BCD-528WHI	CE CB	E/F	836×706×1780mm	893x750x1875mm	53