



TABLE OF CONTENT

01 Company profile

Company Introduction	-----	03
Global Network	-----	09

02 Product

Induction Hobs for Europe	-----	12
Ceramic Hobs for Europe	-----	28
Electric Hobs for South East Asian	-----	44
Electric Hobs for Korea	-----	56
Electric Hobs TFT (Demo)	-----	62
Electric Cookers Tabletop Series	-----	66

We



An ODM Platform

More than 8 years of experience in R&D of high-end kitchen appliances, more than 7 years for the international OEM business to provide professional service.



Professionals

We want to be the designer of better kitchen appliances, we want to pass our love to thousands of families through our well-design products.

Are



Your OEM Partner

Sales, R&D, Production, Quality, every person pays close attention to your feeling, your demands to build a better kitchen.



Waiting for you...

Our stories continues and hope you will be in our stories together.



Group

Manufacturer Base

Factories located in Zhongshan China, ensure the full supply chain resource to be high quality and cost saving.

HK Sales Company

A free finance location & policy allow us to make contracts with customers worldwide.

Structure

Solution Company

A high-tech solution team fulfill the ODM requirement from customers and keep innovation development of our OEM business.

Worldwide Business

The unique and functional structure ensure our worldwide customers to get best products with best cost.

Basic

130 Employees

Well organized management system with 2 production base with 4 production line. Monthly output over 40000 pcs of finhshed products



19 Engineers

Experienced and passionate R&D for electric hobs, gas hobs, hybrid hobs, cooker hoods and portable electric cookers. More than 40 new projects been accomplished every year thanks to our professional and hard working engineer teams.



Info

5 Product Ranges


Series and unique design products to provide new experience in kitchen. Covering from electric hobs, gas hobs, cooker hoods and portable electric cookers.



29 Countries

Under our quality control system, our products been widely accepted by customers over 5 continents in the world.





Europe Market


Smart °C
Detection

Easy Control

Energy Saving

Smart Cookware
Detection

IH3235P-T01





HOB FEATURE


- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Keep Warm
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5kw

DIMENSIONS

- ▶ Product Size: 290x520x60 mm
- ▶ Cut out Size: 260x490 mm
- ▶ Carton Size: 360x575x115 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH3235P-S01





HOB FEATURE


- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Keep Warm
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5kw

DIMENSIONS

- ▶ Product Size: 290x520x60 mm
- ▶ Cut out Size: 260x490 mm
- ▶ Carton Size: 360x575x115 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH3235BP-S01





HOB FEATURE


- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 290x520x60 mm
- › Cut out Size: 260x490 mm
- › Carton Size: 360x575x115 mm
- › Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH3235FP-S01





HOB FEATURE


- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 290x520x60 mm
- › Cut out Size: 260x490 mm
- › Carton Size: 360x575x115 mm
- › Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH3228FP-S01





HOB FEATURE


- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Stop&Go
- › Residual Heat Indicator
- › Touch Control
- › BS Plug

DIMENSIONS

- › Product Size: 290x520x60 mm
- › Cut out Size: 260x490 mm
- › Carton Size: 360x575x115 mm
- › Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH3235P-K





HOB FEATURE


- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 290x520x68.5 mm
- › Cut out Size: 260x490 mm
- › Carton Size: 360x575x115 mm
- › Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH3235P1-K





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Knob Control
- Optional Plug

DIMENSIONS

- Product Size: 290x520x60 mm
- Cut out Size: 260x490 mm
- Carton Size: 360x575x115 mm
- Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH5358M-S07








HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 5.8kw

DIMENSIONS

- Product Size: 450x520x60 mm
- Cut out Size: 420x490 mm
- Carton Size: 650x595x110 mm
- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6372P2/A-IS04





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 2.8/3.5/7.2kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm
- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



ITS6372P2/A-RS01




HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 2.8/3.5/7.2kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm
- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6372P1-S07





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ 3-Stage Cooking Function
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.2kw

DIMENSIONS

- ▶ Product Size: 590x520x60 mm
- ▶ Cut out Size: 565x495 mm
- ▶ Carton Size: 650x595x110 mm
- ▶ Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6374DM-IS03







HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ 3-Stage Cooking Function
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- ▶ Product Size: 590x520x60 mm
- ▶ Cut out Size: 565x495 mm
- ▶ Carton Size: 650x595x110 mm
- ▶ Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6374FM-IS04





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Free Zone Function
- ▶ 3-Stage Cooking Function
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- ▶ Product Size: 590x520x60 mm
- ▶ Cut out Size: 565x495 mm
- ▶ Carton Size: 650x595x110 mm
- ▶ Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6374FM3-S07






HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Free Zone Function
- ▶ 3-Stage Cooking Function
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- ▶ Product Size: 590x520x60 mm
- ▶ Cut out Size: 565x495 mm
- ▶ Carton Size: 650x595x110 mm
- ▶ Container loading: 20GP/40GP/40HQ
550/1200/1400pcs





IH6474FM-S07





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- Free Zone Function
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm

- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474FM-HIS03







HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- Free Zone Function
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm

- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474FM-IS07





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- Free Zone Function
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm

- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474FM2-S07





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Booster Function
- Automatic Pan Sensor
- Free Zone Function
- 3-Stage Cooking Function
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug
- Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm

- Container loading: 20GP/40GP/40HQ
550/1200/1400pcs





IH6474P1/A-S07





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 650x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474P1/A-IS07







HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 650x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474BP1/A-S07





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › Bridge Function
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 650x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474P2/A-S07





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 650x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs





IH8474M1/A-S07





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 770x520x60 mm
- › Cut out Size: 745x495 mm
- › Carton Size: 940x675x175 mm
- › Container loading: 20GP/40GP/40HQ
266/552/626pcs



IH8474FM-IS04







HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › Free Zone Function
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 770x520x60 mm
- › Cut out Size: 745x495 mm
- › Carton Size: 940x675x175 mm
- › Container loading: 20GP/40GP/40HQ
266/552/626pcs



IH8474FM-S07





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › Free Zone Function
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 770x520x60 mm
- › Cut out Size: 745x495 mm
- › Carton Size: 940x675x175 mm
- › Container loading: 20GP/40GP/40HQ
266/552/626pcs



IH9474M1/A-S07







HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- › Product Size: 900x350x60 mm
- › Cut out Size: 875x325 mm
- › Carton Size: 1040x505x175 mm
- › Container loading: 20GP/40GP/40HQ
286/598/690pcs





IH9593M1-S08





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/9.3kw

DIMENSIONS

- › Product Size: 900x520x60 mm
- › Cut out Size: 875x495 mm
- › Carton Size: 1040x675x175 mm
- › Container loading: 20GP/40GP/40HQ
238/482/555pcs



IH9590FM1/A-S08






HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › Free Zone Function
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/9.0kw

DIMENSIONS

- › Product Size: 900x520x60 mm
- › Cut out Size: 875x495 mm
- › Carton Size: 1040x675x175 mm
- › Container loading: 20GP/40GP/40HQ
238/482/555pcs



IH9590FM1-IS05




HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › Free Zone Function
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/9.0kw

DIMENSIONS

- › Product Size: 900x520x60 mm
- › Cut out Size: 875x495 mm
- › Carton Size: 1040x675x175 mm
- › Container loading: 20GP/40GP/40HQ
238/482/555pcs



IH9690FM1-IS05






HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Booster Function
- › Automatic Pan Sensor
- › Free Zone Function
- › 3-Stage Cooking Function
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug
- › Power Switching System 2.8/3.5/10.8kw

DIMENSIONS

- › Product Size: 900x520x60 mm
- › Cut out Size: 875x495 mm
- › Carton Size: 1040x675x175 mm
- › Container loading: 20GP/40GP/40HQ
238/482/555pcs



Vitroc ceramic Hobs

Europe Market



VC3M118-K





HOB FEATURE


- › 9-Stage Power Setting
- › Residual Heat Indicator
- › Knob Control
- › Optional Plug

DIMENSIONS

- › Product Size: 290x360x60 mm
- › Cut out Size: 260x330 mm
- › Carton Size:
- › Container loading: 20GP/40GP/40HQ
1700/3500/3500pcs



VC3E118-T01





HOB FEATURE


- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 290x360x52 mm
- › Cut out Size: 260x330 mm
- › Carton Size: TBA
- › Container loading: 20GP/40GP/40HQ
TBA



VC3E118-S01





HOB FEATURE


- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug

DIMENSIONS

- Product Size: 290x360x52 mm
- Cut out Size: 260x330 mm
- Carton Size: TBA
- Container loading: 20GP/40GP/40HQ TBA



VC3M230-K





HOB FEATURE


- 30 Minutes Timer
- 9-Stage Power Setting
- Residual Heat Indicator
- Knob Control
- Optional Plug

DIMENSIONS

- Product Size: 290x520x60 mm
- Cut out Size: 260x490 mm
- Carton Size: 350x590x97 mm
- Container loading: 20GP/40GP/40HQ 1518/3216/3618pcs



VC3M230A1/A-T02





HOB FEATURE

- 120 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch Control
- Optional Plug

DIMENSIONS

- Product Size: 290x520x60 mm
- Cut out Size: 260x490 mm
- Carton Size: 390x590x97 mm
- Container loading: 20GP/40GP/40HQ 1518/3216/3618pcs



VC3M230DA1/A-T02





HOB FEATURE


- 120 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Double Ring Control
- Residual Heat Indicator
- Touch Control
- Optional Plug

DIMENSIONS

- Product Size: 290x520x60 mm
- Cut out Size: 260x490 mm
- Carton Size: 390x590x97 mm
- Container loading: 20GP/40GP/40HQ 1518/3216/3618pcs



VC3M230A1/A-S02





HOB FEATURE


- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch&Slider Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 290x520x60 mm
- ▶ Cut out Size: 260x490 mm
- ▶ Carton Size: 390x590x97 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



VC3E230-T04





HOB FEATURE


- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 290x520x52 mm
- ▶ Cut out Size: 265x500 mm
- ▶ Carton Size: 350x590x97 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



VC3E230D-S02




HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Combination key child lock
- ▶ Double Ring Control
- ▶ Touch&Slider Control
- ▶ Optional Bridging Function

DIMENSIONS

- ▶ Product Size: 290x520x52 mm
- ▶ Cut out Size: 265x500 mm
- ▶ Carton Size: 350x590x97 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



VC4E342-S07






HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ 3 Level Keep Warm
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control

DIMENSIONS

- ▶ Product Size: 450x520x52 mm
- ▶ Cut out Size: 420x490 mm
- ▶ Carton Size: TBD
- ▶ Container loading: 20GP/40GP/40HQ
TBD





VC4E342BD-S07





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Double Ring Control
- Residual Heat Indicator
- Touch&Slide Control

DIMENSIONS

- Product Size: 450x520x52 mm
- Cut out Size: 420x490 mm
- Carton Size: TBD
- Container loading: 20GP/40GP/40HQ
TBD



VC4E348D-S07




HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Double Ring Control
- Residual Heat Indicator
- Touch&Slide Control

DIMENSIONS

- Product Size: 450x520x52 mm
- Cut out Size: 420x490 mm
- Carton Size: TBD
- Container loading: 20GP/40GP/40HQ
TBD



VC6E357D-S07





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Double Ring Control
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug

DIMENSIONS

- Product Size: 590x520x52 mm
- Cut out Size: 560x490 mm
- Carton Size: 640x570x90 mm
- Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6E357T-S07





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Triple Ring Control
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug

DIMENSIONS

- Product Size: 590x520x52 mm
- Cut out Size: 560x490 mm
- Carton Size: 640x570x90 mm
- Container loading: 20GP/40GP/40HQ
900/1800/1800pcs





VC6E460-S07




HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › 3 Level Keep Warm
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug

DIMENSIONS

- › Product Size: 590x520x52 mm
- › Cut out Size: 560x490 mm
- › Carton Size: 640x570x90 mm
- › Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6E466-S07







HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › 3 Level Keep Warm
- › Stop&Go
- › Double Ring Control
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug

DIMENSIONS

- › Product Size: 590x520x47 mm
- › Cut out Size: 560x490 mm
- › Carton Size: 650x595x110 mm
- › Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6M460-K




HOB FEATURE

- › 9-Stage Power Setting
- › Residual Heat Indicator
- › Knob Control
- › Optional Plug

DIMENSIONS

- › Product Size: 590x520x52 mm
- › Cut out Size: 560x490 mm
- › Carton Size: 645x575x110 mm
- › Container loading: 20GP/40GP/40HQ
640/1350/1540pcs



VC6E465-S07






HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › 3 Level Keep Warm
- › Stop&Go
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug

DIMENSIONS

- › Product Size: 590x520x52 mm
- › Cut out Size: 560x490 mm
- › Carton Size: 640x570x90 mm
- › Container loading: 20GP/40GP/40HQ
900/1800/1800pcs





VC6E465D-S07




HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Double Ring Control
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug

DIMENSIONS

- Product Size: 590x520x52 mm
- Cut out Size: 560x490 mm
- Carton Size: 640x570x90 mm
- Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6E465D2-S07




HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Double Ring Control
- Residual Heat Indicator
- Touch&Slide Control
- Optional Plug

DIMENSIONS

- Product Size: 590x520x52 mm
- Cut out Size: 560x490 mm
- Carton Size: 640x570x90 mm
- Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6E460-T02




HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch Control
- Optional Plug

DIMENSIONS

- Product Size: 590x520x52 mm
- Cut out Size: 560x490 mm
- Carton Size: 640x570x90 mm
- Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6E454-S07








HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Residual Heat Indicator
- Touch&Slide Control
- Bridge Function
- Optional Plug

DIMENSIONS

- Product Size: 590x520x52 mm
- Cut out Size: 560x490 mm
- Carton Size: 640x570x90 mm
- Container loading: 20GP/40GP/40HQ
900/1800/1800pcs





VC9E465-S07






HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ 3 Level Keep Warm
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 900x350x52 mm
- ▶ Cut out Size: 870x320 mm
- ▶ Carton Size: 960x430x110 mm
- ▶ Container loading: 20GP/40GP/40HQ 352/736/828pcs



VC9E589T-S07



HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ 3 Level Keep Warm
- ▶ Stop&Go
- ▶ Triple Ring Control
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 900x520x52 mm
- ▶ Cut out Size: 870x490 mm
- ▶ Carton Size: 985x600x125 mm
- ▶ Container loading: 20GP/40GP/40HQ 380/774/903pcs

VC8E472D-S07






HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ 3 Level Keep Warm
- ▶ Stop&Go
- ▶ Double Ring Control
- ▶ Residual Heat Indicator
- ▶ Touch&Slider Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 770x520x52 mm
- ▶ Cut out Size: 740x490 mm
- ▶ Carton Size: 850x600x110 mm
- ▶ Container loading: 20GP/40GP/40HQ 680/1350/1350pcs



VC9M589T-T09








HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Automatic Safety Switch Off
- ▶ Stop&Go
- ▶ Triple Ring Control
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug
- ▶ Power Switching System 3.6/8.9kw

DIMENSIONS

- ▶ Product Size: 900x520x52 mm
- ▶ Cut out Size: 870x490 mm
- ▶ Carton Size: 985x600x125 mm
- ▶ Container loading: 20GP/40GP/40HQ 380/774/903pcs





VC8E582D-S08



HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › 3 Level Keep Warm
- › Stop&Go
- › Double Ring Control
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 770x520x52 mm
- › Cut out Size: 740x490 mm
- › Carton Size: 850x600x110 mm

Container loading: 20GP/40GP/40HQ
680/1350/1350pcs

VC9E584D-S08





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › 3 Level Keep Warm
- › Stop&Go
- › Double Ring Control
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 900x520x52 mm
- › Cut out Size: 870x490 mm
- › Carton Size: 985x600x125 mm

› Container loading: 20GP/40GP/40HQ
380/774/903pcs



Electric Hobs

South-East Asia Market


Easy Control

Energy Saving

Fast Heating

Colorful Printing

IH3123P1-T03





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 290x520x68.5 mm
- ▶ Cut out Size: 260x490 mm
- ▶ Carton Size: 360x575x115 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs



IH5123P1-T02







HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 520x290x68.5 mm
- ▶ Cut out Size: 260x490 mm
- ▶ Carton Size: 360x575x115 mm
- ▶ Container loading: 20GP/40GP/40HQ
1518/3216/3618pcs







IH5218M-T06



HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug



DIMENSIONS

- ▶ Product Size: 520x360x62 mm
- ▶ Cut out Size: 495x345 mm
- ▶ Carton Size: TBD
- ▶ Container loading: 20GP/40GP/40HQ TBD





IH6235M-S01



HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch&Slider Control
- ▶ Optional Plug



DIMENSIONS

- ▶ Product Size: 590x350x60 mm
- ▶ Cut out Size: 560x320 mm
- ▶ Carton Size: TBD
- ▶ Container loading: 20GP/40GP/40HQ TBD

VC5M230A1/A-T05






HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 520x290x60 mm
- ▶ Cut out Size: 260x490 mm
- ▶ Carton Size: 350x590x97 mm
- ▶ Container loading: 20GP/40GP/40HQ 1518/3216/3618pcs



VC6M241D-S04







HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Double Ring Control
- ▶ Touch&Slider Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 594x475x60 mm
- ▶ Cut out Size: 564x445 mm
- ▶ Carton Size: TBA
- ▶ Container loading: 20GP/40GP/40HQ 580/1180/1298pcs





IH7246M1/A-T03





HOB FEATURE

- 120 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch Control
- Optional Plug
- Power Switching System 2.3/4.6kw

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs



IH7246M1/A-S03





HOB FEATURE

- 120 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug
- Power Switching System 2.3/4.6kw

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs



IH7246M1/A-S04





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug
- Power Switching System 2.3/4.6kw

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs



IH7246M1/A-RS01






HOB FEATURE

- 120 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Stop&Go
- Residual Heat Indicator
- Touch&Circle Slider Control
- Optional Plug
- Power Switching System 2.3/4.6kw

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs





IH7252M-IS04





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs



IH7252LM-IS04







HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- 3 Level Keep Warm
- Stop&Go
- Ambient Lighting
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs



IV7E246M1/A-T03





HOB FEATURE

- 120 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch Control
- Optional Plug
- Power Switching System 2.3/4.6kw

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs



IV7E246DM1A-T03






HOB FEATURE

- 120 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch Control
- Double Ring Control
- Optional Plug
- Power Switching System 2.3/4.6kw

DIMENSIONS

- Product Size: 710x400x60 mm
- Cut out Size: 685x375 mm
- Carton Size: 800x520x117
- Container loading: 20GP/40GP/40HQ
580/1180/1298pcs





IV7E246M1/A-S03





HOB FEATURE

- › 120 Minutes Timer
- › 9-Stage Power Setting
- › Booster Function
- › Automatic Pan Sensor
- › Automatic Safety Switch Off
- › Residual Heat Indicator
- › Touch&Slider Control
- › Optional Plug
- › Power Switching System 2.3/4.6kw

DIMENSIONS

- › Product Size: 710x400x60 mm
- › Cut out Size: 685x375 mm
- › Carton Size: 800x520x117
- › Container loading: 20GP/40GP/40HQ 580/1180/1298pcs



IV7E246M1/A-S05







HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Booster Function
- › Automatic Pan Sensor
- › Automatic Safety Switch Off
- › Double Ring Control
- › Residual Heat Indicator
- › Touch&Slider Control
- › Optional Plug

DIMENSIONS

- › Product Size: 710x400x60 mm
- › Cut out Size: 685x375 mm
- › Carton Size: 800x520x117
- › Container loading: 20GP/40GP/40HQ 580/1180/1298pcs



IV7E246DM2-IS04





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Booster Function
- › Automatic Safety Switch Off
- › Automatic Pan Sensor
- › 3 Level Keep Warm
- › Stop&Go
- › Double Ring Control
- › Residual Heat Indicator
- › Touch&Slider Control
- › Optional Plug

DIMENSIONS

- › Product Size: 710x400x60 mm
- › Cut out Size: 685x375 mm
- › Carton Size: 800x520x117
- › Container loading: 20GP/40GP/40HQ 580/1180/1298pcs



VC7M241D-T02









HOB FEATURE

- › 120 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Safety Switch Off
- › Double Ring Control
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug

DIMENSIONS

- › Product Size: 710x400x60 mm
- › Cut out Size: 685x375 mm
- › Carton Size: 800x520x117
- › Container loading: 20GP/40GP/40HQ 580/1180/1298pcs





IH7256M-S06





HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug

DIMENSIONS

- Product Size: 750x450x60 mm
- Cut out Size: 720x420 mm
- Carton Size: TBD
- Container loading: 20GP/40GP/40HQ
TBD



IV7E361DM1/A-S06



HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Double Ring Control
- Residual Heat Indicator
- Touch Control
- Optional Plug

DIMENSIONS

- Product Size: 730x430x60 mm
- Cut out Size: 710x410 mm
- Carton Size: 795x585x110
- Container loading: 20GP/40GP/40HQ
588/1155/1320pcs

IH7357M-S06






HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Residual Heat Indicator
- Touch&Slider Control
- Optional Plug

DIMENSIONS

- Product Size: 730x430x60 mm
- Cut out Size: 710x410 mm
- Carton Size: TBD
- Container loading: 20GP/40GP/40HQ
TBD



IV7E364TM-S06






HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Triple Ring Control
- Residual Heat Indicator
- Touch Control
- Optional Plug

DIMENSIONS

- Product Size: 730x430x60 mm
- Cut out Size: 710x410 mm
- Carton Size: 795x585x110
- Container loading: 20GP/40GP/40HQ
588/1155/1320pcs



Electric Hobs
Korea Market

Customization
Service

Unique UI Design

Easy Control

Professional ODM
Support

VC6E353D-S07





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Double Ring Control
- ▶ Automatic Safety Switch Off
- ▶ 3 Level Keep Warm
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 590x510x47 mm
- ▶ Cut out Size: 560x490 mm
- ▶ Carton Size: 640x570x90 mm
- ▶ Container loading: 20GP/40GP/40HQ 900/1800/1800pcs



VC6E333D-T10






HOB FEATURE

- ▶ 90 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Double Ring Control
- ▶ Automatic Safety Switch Off
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 590x510x47 mm
- ▶ Cut out Size: 560x480 mm
- ▶ Carton Size: 640x570x90 mm
- ▶ Container loading: 20GP/40GP/40HQ 900/1800/1800pcs





VC6E333D-T07





HOB FEATURE

- ▶ 90 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Double Ring Control
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 590x510x47 mm
- ▶ Cut out Size: 560x480 mm
- ▶ Carton Size: 640x570x90 mm
- ▶ Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



VC6E331D-T07






HOB FEATURE

- ▶ 90 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Double Ring Control
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 590x510x47 mm
- ▶ Cut out Size: 560x480 mm
- ▶ Carton Size: 640x570x90 mm
- ▶ Container loading: 20GP/40GP/40HQ
900/1800/1800pcs



IV6E333M1-T07





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Touch Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 590x510x60 mm
- ▶ Cut out Size: 560x480 mm
- ▶ Carton Size: 640x580x125 mm
- ▶ Container loading: 20GP/40GP/40HQ
TBA



IV6E333M2-T07







HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Residual Heat Indicator
- ▶ Touch&Slide Control
- ▶ Optional Plug

DIMENSIONS

- ▶ Product Size: 590x510x60 mm
- ▶ Cut out Size: 560x480 mm
- ▶ Carton Size: 640x580x125 mm
- ▶ Container loading: 20GP/40GP/40HQ
TBA





IV6M358FDM1/A-IS02





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Booster Function
- › Flex Zone Function
- › Automatic Pan Sensor
- › Automatic Safety Switch Off
- › 3-Stage Cooking Function
- › Stop&Go
- › Double Ring Control
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug

DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 640x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IV6M358DM2/A-IS02






HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Automatic Pan Sensor
- › Automatic Safety Switch Off
- › 3-Stage Cooking Function
- › Stop&Go
- › Double Ring Control
- › Residual Heat Indicator
- › Touch&Slide Control
- › Optional Plug

DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 640x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IV6E333DM3/A-T05





HOB FEATURE

- › 99 Minutes Timer
- › 9-Stage Power Setting
- › Booster Function
- › Automatic Pan Sensor
- › Automatic Safety Switch Off
- › Double Ring Control
- › Stop&Go
- › Residual Heat Indicator
- › Touch Control
- › Optional Plug




DIMENSIONS

- › Product Size: 590x520x60 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 640x595x110 mm
- › Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



Electric Hobs

TFT Range (Demo)



IH6372P2/A-TFT01



HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Warm Keeping
- Stop&Go
- Residual Heat Indicator
- Sensor Touch Control
- Optional Plug
- Power Switching System 2.8/3.5/7.2kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm
- Container loading: 20GP/40GP/40HQ 550/1200/1400pcs

IH6374FM-TFT01







HOB FEATURE

- 99 Minutes Timer
- 9-Stage Power Setting
- Booster Function
- Automatic Pan Sensor
- Automatic Safety Switch Off
- Warm Keeping
- Stop&Go
- Residual Heat Indicator
- Sensor Touch Control
- Optional Plug
- Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- Product Size: 590x520x60 mm
- Cut out Size: 565x495 mm
- Carton Size: 650x595x110 mm
- Container loading: 20GP/40GP/40HQ 550/1200/1400pcs





IH6474M2/A-TFT01





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Warm Keeping
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Sensor Touch Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- ▶ Product Size: 590x520x60 mm
- ▶ Cut out Size: 565x495 mm
- ▶ Carton Size: 650x595x110 mm

- ▶ Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH6474FM-TFT01







HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Warm Keeping
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Sensor Touch Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- ▶ Product Size: 590x520x60 mm
- ▶ Cut out Size: 565x495 mm
- ▶ Carton Size: 650x595x110 mm

- ▶ Container loading: 20GP/40GP/40HQ
550/1200/1400pcs



IH8474FM-TFT01





HOB FEATURE

- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Warm Keeping
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Sensor Touch Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/7.4kw

DIMENSIONS

- ▶ Product Size: 800x520x60 mm
- ▶ Cut out Size: 745x495 mm
- ▶ Carton Size: TBA

- ▶ Container loading: 20GP/40GP/40HQ
TBA



IH9590FM1/A-TFT01






HOB FEATURE





- ▶ 99 Minutes Timer
- ▶ 9-Stage Power Setting
- ▶ Booster Function
- ▶ Automatic Pan Sensor
- ▶ Automatic Safety Switch Off
- ▶ Warm Keeping
- ▶ Stop&Go
- ▶ Residual Heat Indicator
- ▶ Sensor Touch Control
- ▶ Optional Plug
- ▶ Power Switching System 2.8/3.5/9.0kw

DIMENSIONS

- ▶ Product Size: 900x520x60 mm
- ▶ Cut out Size: 875x495 mm
- ▶ Carton Size: TBA

- ▶ Container loading: 20GP/40GP/40HQ
TBA






Griddle Pan



Scraper




Glass Cleaner



Cleaning Cloth

Gas Hob Range



High Efficiency
Burner Sets

Customized Burner
Design Service

Multi-process of
Quality Safety
Control

Electrical Gas Hob
+ Cooker Hood
Connected System



LCCE 5920 BK



CERAMIC HOB FEATURE

- › 99 Minutes Timer
- › Automatic Safety Switch Off
- › Child Safety Lock
- › Residual Heat Indicator
- › Touch Control

GAS HOB FEATURE

- › Ceramic Glass
- › Automatic ignition
- › Suitable for NG&LPG
- › Enamelled pan supports (Case iron pan supports available)
- › Flame failure devices

2 COOKING ZONE

- › 1*2.5kW Rapid burner
- › 1*1.0kW Auxiliary burner

DIMENSIONS

- › Product Size: 590x520x110 mm
- › Cut out Size: 565x495 mm
- › Carton Size:
- › Container loading: 20GP/40GP/40HQ 351/702/810pcs

LCIM 5922 BK



CERAMIC HOB FEATURE

- › Black Ceramic Glass
- › 9-stage Power Setting
- › Residual Heat Indicator
- › Knob Control

GAS HOB FEATURE



- › Automatic ignition
- › Suitable for LPG
- › Cast Iron Pan Supports (Enamelled pan supports available)
- › Flame Failure Devices(optional)


2 COOKING ZONE

- › 1*2.5kW Rapid burner
- › 1*1.0kW Auxiliary burner

DIMENSIONS

- › Product Size: 590x520x110 mm
- › Cut out Size: 565x495 mm
- › Carton Size: 705x635x175 mm
- › Container loading: 20GP/40GP/40HQ 351/702/810pcs





TG59I14F-AT1



HOB FEATURE

- Black Tempered Glass
- Automatic Ignition
- Suitable For NG & LPG
- Cast iron Pan Supports (Enamelled Pan Support Available)
- Flame Failure Devices

4 COOKING ZONE

- 1*3.0kW Triple Ring Burner
- 1*2.5kW Rapid Burner
- 1*1.75kW Semi-rapid Burner
- 1*1.0kW Auxiliary Burner

DIMENSIONS

- Product Size: 640x510x100 mm
- Cut out Size: 555x475 mm
- Carton Size: 715x550x175 mm

- Container loading: 20GP/40GP/40HQ
416/845/975pcs

TG77I15F-AT1



HOB FEATURE

- Black Tempered Glass
- Automatic Ignition
- Suitable For NG & LPG
- Cast iron Pan Supports (Enamelled Pan Support Available)
- Flame Failure Devices



5 COOKING ZONE

- 1*3.0kW Triple Ring Burner
- 1*2.5kW Rapid Burner
- 2*1.75kW Semi-rapid Burner
- 1*1.0kW Auxiliary Burner

DIMENSIONS

- Product Size: 700x510x50 mm
- Cut out Size: 555x475 mm
- Carton Size: 740x550x175 mm

- Container loading: 20GP/40GP/40HQ
403/819/945pcs



TG30I12F-AT1



HOB FEATURE

- Black Tempered Glass
- Automatic Ignition
- Suitable For NG & LPG
- Cast iron Pan Supports (Enamelled Pan Support Available)
- Flame Failure Devices

4 COOKING ZONE

- 1*3.0kW Triple Ring Burner
- 1*1.75kW Semi-rapid Burner

DIMENSIONS

- Product Size: 520x300 mm
- Cut out Size: 480x280 mm
- Carton Size: 350x550x172 mm

- Container loading: 20GP/40GP/40HQ
840/1680/1802pcs

SS59E14FL-AT1



HOB FEATURE

- Black Tempered Glass
- Automatic Ignition
- Suitable For NG & LPG
- Cast iron Pan Supports (Enamelled Pan Support Available)
- Flame Failure Devices


5 COOKING ZONE

- 1*3.0kW Triple Ring Burner
- 2*1.75kW Semi-rapid Burner
- 1*1.0kW Auxiliary Burner

DIMENSIONS

- Product Size: 586x506x52 mm
- Cut out Size: 555x475 mm
- Carton Size: 630x550x175 mm

- Container loading: 20GP/40GP/40HQ
481/975/1125pcs





SS86E15F-AT1



HOB FEATURE

- › Stainless Steel Top
- › Automatic Ignition
- › Suitable For NG & LPG
- › Enamelled Pan Support (Cast iron Pan Supports Available)
- › Flame Failure Devices


5 COOKING ZONE

- › 1*3.0kW Triple Ring Burner
- › 1*2.5kW Rapid Burner
- › 2*1.75kW Semi-rapid Burner
- › 1*1.0kW Auxiliary Burner

DIMENSIONS

- › Product Size: 680x500x50 mm
- › Cut out Size: 555x475 mm
- › Carton Size: 740x550x175 mm

- › Container loading: 20GP/40GP/40HQ
403/819/945pcs



SS76E15F-AT1



HOB FEATURE

- › Black Tempered Glass
- › Automatic Ignition
- › Suitable For NG & LPG
- › Cast iron Pan Supports (Enamelled Pan Support Available)
- › Flame Failure Devices

4 COOKING ZONE

- › 1*3.0kW Triple Ring Burner
- › 1*2.5kW Rapid Burner
- › 2*1.75kW Semi-rapid Burner
- › 1*1.0kW Auxiliary Burner

DIMENSIONS

- › Product Size: 860x500x52 mm
- › Cut out Size: 835x475 mm
- › Carton Size: 910x550x175 mm

- › Container loading: 20GP/40GP/40HQ
312/650/750pcs

